



Area		NORTH AMERICA	EUROPE	CHINA
Model Name		XR-75Z9K	XR-75Z9K	SV-40234
SV No.		SV-40234	SV-40364	SV-40316
DIMENSION	TV only (W x H x D)	1671 x 971 x 74 mm / 65 7/8 x 38 1/4 x 3 inch	Approx. 167.1 x 97.1 x 7.4 cm	Approx. 1671 x 971 x 74 mm
	TV only with camera (WxHxD)	1671 x 987 x 76 mm / 65 7/8 x 38 7/8 x 3 inch	Approx. 167.1 x 98.7 x 7.6 cm	Approx. 1671 x 987 x 76 mm
	TV with Stand (Standard position) (W x H x D)	1671 x 998 x 396 mm / 65 7/8 x 39 3/8 x 15 5/8 inch	Approx. 167.1 x 99.8 x 39.6 cm	Approx. 1671 x 998 x 396 mm
	TV with Stand (Narrow position) (W x H x D)	1671 x 1017 x 396 mm / 65 7/8 x 40 1/8 x 15 5/8 inch	Approx. 167.1 x 101.7 x 39.6 cm	Approx. 1671 x 1017 x 396 mm
	TV with Stand (Soundbar position) (W x H x D)	1671 x 1072 x 396 mm / 65 7/8 x 42 1/4 x 15 5/8 inch	Approx. 167.1 x 107.2 x 39.6 cm	Approx. 1671 x 1072 x 396 mm
	TV with Stand (Front position style) (W x H x D)	-	-	-
	TV with Stand (Back position style) (W x H x D)	-	-	-
	TV with Floor Stand (W x H x D)	-	-	-
	Stand Width (Standard position)	1670 mm / 65 3/4 inch	Approx. 167.0 cm	Approx. 1670 mm
	Stand Width (Narrow position)	576 mm / 22 3/4 inch	Approx. 57.6 cm	Approx. 576 mm
	Stand Width (Soundbar position)	1670 mm / 65 3/4 inch	Approx. 167.0 cm	Approx. 1670 mm
	Stand Width (Front position style)	-	-	-
	Stand Width (Back position style)	-	-	-
	Floor Stand Width	-	-	-
WEIGHT	VESA Hole Pitch	300 x 300 mm / 11 7/8 x 11 7/8 inch	30.0 x 30.0 cm	300 x 300 mm
	TV Only	47.5 kg / 104.7 lb	Approx. 47.5 kg	Approx. 47.5 kg
	TV with Stand (Standard position)	49.1 kg / 108.2 lb	Approx. 49.1 kg	Approx. 49.1 kg
	TV with Stand (Narrow position)	49.1 kg / 108.2 lb	Approx. 49.1 kg	Approx. 49.1 kg
	TV with Stand (Soundbar position)	49.1 kg / 108.2 lb	Approx. 49.1 kg	Approx. 49.1 kg
	TV with Stand (Front/Back position style)	-	-	-
	TV with Floor Stand	-	-	-
Floor Stand weight (Supply)	-	-	-	
W-M't Br. Weight (Supply)	-	-	-	
Remarks				


WITH STAND
STANDARD POSITION




Purchase recycled resins and wire rods only from the business partners that Sony approves as Green Partners.
再生樹脂・銅線はグリーンパートナーから調達すること。

△A	△B	△C	△D	△E	△F	△G	△H	△I	△J	△K	△L	△M	△N	△O	△P	△Q	△R	△S	△T	△U	△V	△W	△X	△Y	△Z										
HISTORY X: COUNT Y: SUFFIX Z: PART NO. REV. NO. DATE												RELEASE NO. DATE				REVISION				SIGN.		MATERIAL COLOR		FINISH COLOR		GENERAL TOLERANCE		DATE OF ISSUE		DOCUMENT TYPE PART DRAWING (JIS & JIS X 0015:2015)					
RESPONSIBLE DEPARTMENT												ORIGINAL MODEL				DESCRIPTION																			
PLANNED BY												CHECKED BY				APPROVED BY				SCALE 1:10		TENTATIVE MODEL		75(Z9K) EXTERIOR VIEW											
DRAWN BY												REV. METHOD				SIZE A1				UNIT mm		PART NO.		SUFFIX		REV. NO.		SHEET/PAGES 1/3							
LEGAL OWNER Sony Corporation												RESPONSIBLE DEPARTMENT				ORIGINAL MODEL				DESCRIPTION 75(Z9K) EXTERIOR VIEW															
RESPONSIBLE DEPARTMENT												CHECKED BY				APPROVED BY				SCALE 1:10		TENTATIVE MODEL		75(Z9K) EXTERIOR VIEW											
DRAWN BY												REV. METHOD				SIZE A1				UNIT mm		PART NO.		SUFFIX		REV. NO.		SHEET/PAGES 1/3							

WITH STAND
NARROW POSITION




WITH STAND
SOUND BAR POSITION



DESCRIPTION1 75(Z9K)EXTERIOR VIEW	LEGAL OWNER Sony Corporation	SCALE 1:10
DESCRIPTION2 75(Z9K)EXTERIOR VIEW	PART NO.	SHEET/PAGES 2 / 3


WITHOUT STAND



SU-WL450

SLIM MOUNT

STANDARD MOUNT



DESCRIPTION	LEGAL OWNER	SCALE
75(Z9K)EXTERIOR VIEW	Sony Corporation	1:10
DESCRIPTION	PART NO.	SHEET/PAGES
75(Z9K)EXTERIOR VIEW		3 / 3